

EAST

L Number	Hits	Search Text	DB	Time stamp
4	194859	"predict\$ value" branch jump	USPAT; US-PGPUB	2004/07/27 08:23
5	1453821	cache memory table history	USPAT; US-PGPUB	2004/07/27 08:24
6	99513	("predict\$ value" branch jump) and (cache memory table history)	USPAT; US-PGPUB	2004/07/27 08:44
7	12153	(value branch jump) NEAR predict\$	USPAT; US-PGPUB	2004/07/27 08:44
8	2122	Instruction near modif\$	USPAT; US-PGPUB	2004/07/27 08:44
9	393	((value branch jump) NEAR predict\$) and (Instruction near modif\$)	USPAT; US-PGPUB	2004/07/27 08:44
10	16530	(value branch jump data instruction) NEAR predict\$	USPAT; US-PGPUB	2004/07/27 08:44
11	16401	(value branch jump data) NEAR predict\$	USPAT; US-PGPUB	2004/07/27 08:44
12	4534	((value branch jump data) NEAR predict\$) and instruction	USPAT; US-PGPUB	2004/07/27 08:45
19	5652	data NEAR predict\$	USPAT; US-PGPUB	2004/07/27 08:53
20	5277	(value branch jump data) NEAR prediction	USPAT; US-PGPUB	2004/07/27 08:53
21	2385	((value branch jump data) NEAR prediction) and instruction) and (cache "history table")	USPAT; US-PGPUB	2004/07/27 09:19
22	1528	data NEAR prediction	USPAT; US-PGPUB	2004/07/27 09:19
23	2306	((value branch jump data) NEAR prediction) and instruction	USPAT	2004/07/27 09:19
24	628125	cache "history table" memory	USPAT; US-PGPUB	2004/07/27 09:19
25	2893	((value branch jump data) NEAR prediction) and instruction) and (cache "history table" memory)	USPAT; US-PGPUB	2004/07/27 09:19
26	48689	cache "history table"	USPAT; US-PGPUB	2004/07/27 09:19
27	184	(data NEAR prediction) and (cache "history table")	USPAT; US-PGPUB	2004/07/27 09:20
28	11	(data NEAR prediction) near (cache "history table")	USPAT; US-PGPUB	2004/07/27 09:20
29	2893	((value branch jump data) NEAR prediction) and instruction) and (cache "history table" memory)	USPAT; US-PGPUB	2004/07/27 09:21
30	2893	((value branch jump data) NEAR prediction) and instruction) and (cache "history table" memory)	USPAT; US-PGPUB	2004/07/27 09:21
31	2385	((value branch jump data) NEAR prediction) and instruction) and (cache "history table")	USPAT; US-PGPUB	2004/07/27 09:21
32	1818	((value branch jump data) NEAR prediction) and instruction) and (cache "history table") and @py < "2003"	USPAT; US-PGPUB	2004/07/27 09:21
33	216	((value branch jump data) NEAR prediction) near (cache "history table")	USPAT; US-PGPUB	2004/07/27 09:22
34	1650	(data NEAR (prediction predictor))	USPAT; US-PGPUB	2004/07/27 09:22
35	12	((data NEAR (prediction predictor))) near (cache "history table")	USPAT; US-PGPUB	2004/07/27 09:22
36	204	((data NEAR (prediction predictor))) and (cache "history table")	USPAT; US-PGPUB	2004/07/27 09:22
38	337	((data NEAR (prediction predictor))) and (static "instruction modification" compiler)	USPAT; US-PGPUB	2004/07/27 09:23
39	1	("6,079,006").PN.	USPAT; US-PGPUB	2004/07/27 09:23
40	1444	((value branch jump data) NEAR prediction) and (static precompiled compiled hard-coded)	USPAT; US-PGPUB	2004/07/27 09:23
41	562	((value data) NEAR prediction) and (static precompiled compiled hard-coded)	USPAT; US-PGPUB	2004/07/27 09:24

42	2572	((value data) NEAR predict\$) and (static precompiled compiled hard-coded)	USPAT; US-PGPUB	2004/07/27 09:24
43	1256	((value data) adj predict\$) and (static precompiled compiled hard-coded)	USPAT; US-PGPUB	2004/07/27 09:24
44	286	((value data) adj prediction) and (static precompiled compiled hard-coded)	USPAT; US-PGPUB	2004/07/27 09:24
45	2	((value data) adj prediction) near (static precompiled compiled hard-coded)	USPAT; US-PGPUB	2004/07/27 09:24
46	5	((value data) near predict\$) near (static precompiled compiled hard-coded)	USPAT; US-PGPUB	2004/07/27 09:25
47	133	((value data) near predict\$) SAME (static precompiled compiled hard-coded)	USPAT; US-PGPUB	2004/07/27 09:26
48	33	((value data) near predict\$) SAME (static precompiled compiled hard-coded) and instruction	USPAT; US-PGPUB	2004/07/27 09:26
49	306	712/226.ccls.	USPAT; US-PGPUB	2004/07/27 09:27
50	2623	((value data) near (predict\$ speculation)) and (static precompiled compiled hard-coded)	USPAT; US-PGPUB	2004/07/27 09:27
51	51	((value data) near (predict\$ speculation)) and (static precompiled compiled hard-coded) not ((value data) near predict\$) and (static precompiled compiled hard-coded)	USPAT; US-PGPUB	2004/07/27 09:27
52	1165	((value data) near (predict\$ speculation)) and (static precompiled compiled hard-coded) and @py < "2002"	USPAT; US-PGPUB	2004/07/27 09:28
53	532	((value branch jump data) NEAR prediction) SAME (static precompiled compiled hardcoded initialized fields)	USPAT; US-PGPUB	2004/07/27 09:28
54	54	(US-5949995-\$ or US-5515518-\$ or US-5454117-\$ or US-5394529-\$ or US-5353421-\$ or US-5327547-\$ or US-5226126-\$ or US-5142634-\$ or US-5758142-\$ or US-5623614-\$ or US-6425075-\$ or US-6393546-\$ or US-6282639-\$ or US-6253316-\$ or US-6247124-\$ or US-6230261-\$ or US-5564118-\$ or US-6119222-\$ or US-6108777-\$ or US-6101577-\$ or US-6067616-\$ or US-6640315-\$ or US-5909566-\$ or US-6757813-\$ or US-6526572-\$ or US-5748963-\$).did. or (US-4095278-\$ or US-6202204-\$ or US-5991540-\$ or US-5592634-\$ or US-5815699-\$ or US-5954815-\$ or US-6571331-\$ or US-6532534-\$ or US-6523110-\$ or US-6499123-\$ or US-6499101-\$ or US-5878255-\$ or US-5864707-\$ or US-6079006-\$ or US-6269436-\$ or US-6260190-\$ or US-5854921-\$ or US-5828874-\$ or US-5826073-\$ or US-5226130-\$ or US-6157988-\$ or US-5649137-\$ or US-6731990-\$ or US-6691221-\$ or US-6647467-\$ or US-6615343-\$ or US-6604190-\$).did. or (US-20010032309-\$).did.	USPAT; US-PGPUB	2004/07/27 09:28
55	532	((value branch jump data) NEAR prediction) SAME (static precompiled compiled hardcoded initialized fields)	USPAT; US-PGPUB	2004/07/27 09:28
56	1	(US-3213427-\$).did.	USOCR	2004/07/27 09:29
57	1	("5996060").PN.	USPAT; US-PGPUB	2004/07/27 09:29
58	1	("5507028").PN.	USPAT; US-PGPUB	2004/07/27 09:29
60	1	("5996060").PN.	USPAT; US-PGPUB	2004/07/27 09:30
61	2591	((value branch jump data instruction) NEAR predict\$) and recovery	USPAT; US-PGPUB	2004/07/27 09:30

62	15	((value branch jump data instruction) NEAR predict\$) and (no adj recovery)	USPAT; US-PGPUB	2004/07/27 09:31
63	19	((value branch jump data instruction) NEAR predict\$) and no adj (recovery rollback reissue reexecute)	USPAT; US-PGPUB	2004/07/27 09:31
64	19	((value branch jump data instruction) NEAR predict\$) and no adj (recovery rollback reissue reexecute)	USPAT; US-PGPUB	2004/07/27 09:31
65	4	((value branch jump data instruction) NEAR predict\$) and no adj (recovery rollback reissue reexecute)) not ((value branch jump data instruction) NEAR predict\$) and no adj recovery)	USPAT; US-PGPUB	2004/07/27 09:32
66	2700	((value branch jump data instruction) NEAR predict\$) and (recovery rollback reissue reexecute)	USPAT; US-PGPUB	2004/07/27 09:32
67	2700	((value branch jump data instruction) NEAR predict\$) and (recovery rollback reissue reexecute)	USPAT; US-PGPUB	2004/07/27 09:32
68	2700	((value branch jump data instruction) NEAR predict\$) and (recovery rollback reissue reexecute)	USPAT; US-PGPUB	2004/07/27 09:32
69	1434	((value branch jump data instruction) NEAR predict\$) and tolerance	USPAT; US-PGPUB	2004/07/27 09:32
70	347	((value branch jump data instruction) NEAR predict\$) and (recovery rollback reissue reexecute) and tolerance	USPAT; US-PGPUB	2004/07/27 09:32

L Number	Hits	Search Text	DB	Time stamp
1	239	((value branch jump data instruction) NEAR predict\$) near (recovery rollback reissue reexecute force always "no check\$") estimat\$)	USPAT; US-PGPUB	2004/07/27 11:45
-	9213	((value branch jump data instruction) NEAR predict\$) and (recovery rollback reissue reexecute force always "no check\$")	USPAT; US-PGPUB	2004/07/27 09:39
-	7954	((value branch jump data instruction) NEAR predict\$) and (force always "no check\$")	USPAT; US-PGPUB	2004/07/27 10:00
-	7948	((value branch jump data instruction) NEAR predict\$) and (force always)	USPAT; US-PGPUB	2004/07/27 09:40
-	2754	((value branch jump data instruction) NEAR predict\$) and (force)	USPAT; US-PGPUB	2004/07/27 10:00
-	34	((value branch jump data instruction) NEAR predict\$) near (force)	USPAT; US-PGPUB	2004/07/27 09:59
-	58	((value branch jump data instruction) NEAR predict\$) near (force always)	USPAT; US-PGPUB	2004/07/27 09:59
-	58	((value branch jump data instruction) NEAR predict\$) near (force always "no check\$")	USPAT; US-PGPUB	2004/07/27 09:45
-	73	((value branch jump data instruction) NEAR predict\$) near (recovery rollback reissue reexecute force always "no check\$")	USPAT; US-PGPUB	2004/07/27 10:10
-	0	((value branch jump data instruction) NEAR predict\$) near (force) near valid	USPAT; US-PGPUB	2004/07/27 09:59
-	0	((value branch jump data instruction) NEAR predict\$) near (force always) near valid	USPAT; US-PGPUB	2004/07/27 09:59
-	0	((value branch jump data instruction) NEAR predict\$) near (recovery rollback reissue reexecute force always "no check\$") near valid	USPAT; US-PGPUB	2004/07/27 10:00
-	0	((value branch jump data instruction) NEAR predict\$) and (force)) near valid	USPAT; US-PGPUB	2004/07/27 10:00
-	56	((value branch jump data instruction) NEAR predict\$) and (force always "no check\$") near valid	USPAT; US-PGPUB	2004/07/27 10:00
-	0	((value branch jump data instruction) NEAR predict\$) and (force) near valid.	USPAT; US-PGPUB	2004/07/27 10:00
-	4	((value branch jump data instruction) NEAR predict\$) and (force) near valid	USPAT; US-PGPUB	2004/07/27 10:05
-	56	((value branch jump data instruction) NEAR predict\$) and (force always "no check\$") near valid	USPAT; US-PGPUB	2004/07/27 10:00
-	56	((value branch jump data instruction) NEAR predict\$) and (force always "no check\$") near valid	USPAT; US-PGPUB	2004/07/27 10:00
-	0	((value branch jump data instruction) NEAR predict\$) and (force always "no check\$") near valid) not ((value branch jump data instruction) NEAR predict\$) and (force always "no check\$") near valid)	USPAT; US-PGPUB	2004/07/27 10:00
-	0	"10046982"	USPAT; US-PGPUB	2004/07/27 10:06
-	1	"20020152368"	USPAT; US-PGPUB	2004/07/27 10:06
-	166	((value branch jump data instruction) NEAR predict\$) near (estimat\$)	USPAT; US-PGPUB	2004/07/27 10:16
-	166	((value branch jump data instruction) NEAR predict\$) near (estimat\$)) not ((value branch jump data instruction) NEAR predict\$) and (force always "no check\$") near valid)	USPAT; US-PGPUB	2004/07/27 10:11
-	166	((value branch jump data instruction) NEAR predict\$) near (estimat\$)) not ((value branch jump data instruction) NEAR predict\$) near (recovery rollback reissue reexecute force always "no check\$"))	USPAT; US-PGPUB	2004/07/27 10:12
-	62781	processor and estimat\$	USPAT; US-PGPUB	2004/07/27 10:15
-	3020	((value branch jump data instruction) NEAR predict\$) and processor and estimat\$	USPAT; US-PGPUB	2004/07/27 10:16